



RESOURCES Ltd.

ABN 11 009 341 539

G1 49 Melville Parade
South Perth WA 6151
Australia

PO Box 307
West Perth WA 6872
Australia

T 61 8 9474 2113
F 61 8 9367 9386
E tribune@tribune.com.au
W tribune.com.au

20 November 2013

The Listing manager
Company Announcements Office
Australian Securities Exchange Ltd
4th Floor
20 Bridge Street
Sydney NSW 2000

Dear Sir/Madam

Updated Exploration Report from Dr John Chisholm on the work performed in Ghana from July to October 2013

Please find attached an update to the Ghana Exploration Report – July to October announcement lodged on 5 November 2013.

Following the release of the announcement the Company was contacted by ASX and advised the announcement did not contain all of the necessary information to comply with the 2012 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves', which the Company has chosen to early adopt.

We attach an updated version of the report, containing changes in Appendix 3 and the Competent Persons Statement.

Yours sincerely
Tribune Resources Ltd

A handwritten signature in black ink, appearing to read 'Otakar Demis', written over a horizontal line.

Mr Otakar Demis
Company Secretary

Continental Resource Management Pty Ltd
ACN 009 366 929
10 Hehir Street, Belmont, W.A. 6104
Australia.
Phone: +61 8 9478 3987
Email: john.chisholm@iinet.net.au



Exploration Report
(July to October 2013)
for
Tribune Resources (Ghana) Limited

Tribune Resources (Ghana) Limited

Japa concession - Ghana

During the September quarter work was confined to the Adiembra Prospect and included structural mapping and RC drilling.

A specialist, structural geologist from SEMS Exploration completed a ten day mapping programme to assist with the understanding of the controls on the mineralisation and the geometry of the high-grade shoots intersected in the previous drilling. The work identified the predominant structural controls on the mineralisation and this is currently being tested by RC drilling and surface sampling of outcrop.

Seventeen RC holes totaling 1,901 metres were completed during the quarter. A further nine RC holes totaling 1,096 have been completed as of the 26 October. The locations of the collars and hole orientations are listed in Appendix 1 with all assay results received to date in Appendix 2. All of the holes were drilled on the Adiembra Prospect. The drilling consisted of testing extensions to known mineralisation, infill exploratory drilling and testing of structural targets.




Figure 1 RC holes drilled between 6 September and 26 October 2013

Gold assays of greater than 1g/t over 3m were returned from nine holes (Table 1).

Table 1 Significant drill intersections (> 3m @ 1g/t Au)

Hole	East	North	From (m)	To (m)	Interval (m)	Au (g/t)
ACRC332	605459	644312	114	132	18	10.76
ACRC332		includes	126	132	6	27.76
ACRC333	605488	644355	51	57	6	2.51
ACRC334	605506	644320	57	105	48	4.38
ACRC336	605582	644286	84	87	3	1.28
ACRC339	605556	644359	24	27	3	1.59
AWRC330	605620	644712	69	86	17	1.93
AWRC333	605718	644655	75	78	3	1.57
AWRC336	605167	644509	54	93	39	2.08
AWRC338	605134	644531	33	36	3	1.45

Notes. Coordinates are UTM WGS84 Zone 30

Work planned for the next quarter includes diamond drilling to obtain structural information, which will be used in conjunction with the structural mapping to plan for deeper diamond drilling to test the Adiembra Deposit at depth.

Compliance statement

The information in this report that relates to Exploration Targets and Exploration Results is based on and fairly represents, information and supporting documentation prepared and compiled by Dr John Chisholm, a Fellow of The Australasian Institute of Mining and Metallurgy. Dr Chisholm is a full-time employee of Mandu Pty Ltd, a company contracted to Continental Resource management Pty Ltd which provides mineral exploration consulting services to Tribune Resources Ltd.

Dr Chisholm has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activity being undertaken to qualify as a Competent Person as defined in the 2012 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Dr Chisholm consents to the inclusion in the report of the matters based on his information in the form and context in which it appears.

Appendix 1 RC Drill hole locations drilled to 26 October 2013

Hole	Easting	Northing	RL	Prospect	Azimuth	Dip	Length (m)	Date started
AWRC338	605134	644531	123.66	Adiembra west	70	-50	105	16/09/2013
AWRC337	605200	644488	123.91	Adiembra west	120	-60	70	13/09/2013
AWRC336	605167	644509	120.78	Adiembra west	70	-50	100	12/09/2013
AWRC335	605476	644629	121.83	Adiembra west	120	-90	118	10/09/2013
AWRC334	605536	644651	128.89	Adiembra west	120	-60	120	9/09/2013
AWRC333	605718	644655	132.83	Adiembra west	300	-60	90	9/09/2013
AWRC332	605750	644640	135.34	Adiembra west	120	-60	86	6/09/2013
AWRC331	605720	644654	133.17	Adiembra west	120	-60	80	6/09/2013
AWRC330	605620	644712	119.8	Adiembra west	120	-60	86	5/09/2013
ADRC309	605838	644042	143.47	Adiembra	85	-50	120	20/10/2013
ADRC308	605802	644069	155.57	Adiembra	85	-50	130	19/10/2013
ADRC307	605766	644083	161.24	Adiembra	85	-90	130	18/10/2013
ADRC304	605875	644157	139.46	Adiembra	85	-50	140	15/10/2013
ADRC303	605913	644227	134.57	Adiembra	85	-50	135	10/10/2013
ADRC302	605966	644231	135.38	Adiembra	85	-50	61	9/10/2013
ADRC301	605992	644213	130.03	Adiembra	85	-50	100	8/10/2013
ACRC339	605556	644359	149.35	Adiembra	250	-50	140	3/10/2013
ACRC338	605485	644205	122.69	Adiembra	70	-50	140	1/10/2013
ACRC337	605448	644226	120.95	Adiembra	70	-50	140	28/09/2013
ACRC336	605582	644286	138.32	Adiembra	70	-50	140	26/09/2013
ACRC335	605551	644310	134.04	Adiembra	70	-50	140	25/09/2013
ACRC334	605506	644320	132.57	Adiembra	70	-50	120	23/09/2013
ACRC333	605488	644355	136.09	Adiembra	70	-50	140	20/09/2013
ACRC332	605459	644312	124.86	Adiembra	70	-50	140	19/09/2013
ACRC331	605506	644281	125.23	Adiembra	70	-50	130	18/09/2013

Notes. Coordinates are UTM WGS84 Zone 30
Collar locations by GPS survey

Appendix 2 Assay results received to 26 October for RC drilling completed during the September quarter at the Adiembra prospect

Hole-ID	From (m)	To (m)	Interval (m)	Au (g/t)	Au-Rpt1 (g/t)
ACRC331	0.00	3.00	3.00	0.36	0.35
ACRC331	3.00	6.00	3.00	0.12	
ACRC331	6.00	9.00	3.00	0.03	
ACRC331	9.00	12.00	3.00	0.02	
ACRC331	12.00	15.00	3.00	0.07	
ACRC331	15.00	18.00	3.00	0.04	
ACRC331	18.00	21.00	3.00	0.03	
ACRC331	21.00	24.00	3.00	0.06	
ACRC331	24.00	27.00	3.00	0.21	
ACRC331	27.00	30.00	3.00	0.05	
ACRC331	30.00	33.00	3.00	0.07	

ACRC331	33.00	36.00	3.00	0.06
ACRC331	36.00	39.00	3.00	0.05
ACRC331	39.00	42.00	3.00	0.06
ACRC331	42.00	45.00	3.00	0.02
ACRC331	45.00	48.00	3.00	0.02
ACRC331	48.00	51.00	3.00	0.04
ACRC331	51.00	54.00	3.00	0.04
ACRC331	54.00	57.00	3.00	0.03
ACRC331	57.00	60.00	3.00	0.02
ACRC331	60.00	63.00	3.00	0.03
ACRC331	63.00	66.00	3.00	0.04
ACRC331	66.00	69.00	3.00	0.02
ACRC331	69.00	72.00	3.00	0.05
ACRC331	72.00	75.00	3.00	0.04
ACRC331	75.00	78.00	3.00	0.03
ACRC331	78.00	81.00	3.00	0.03
ACRC331	81.00	84.00	3.00	0.02
ACRC331	84.00	87.00	3.00	0.02
ACRC331	87.00	90.00	3.00	0.06
ACRC331	90.00	93.00	3.00	0.04
ACRC331	93.00	96.00	3.00	0.05
ACRC331	96.00	99.00	3.00	0.32
ACRC331	99.00	102.00	3.00	0.22
ACRC331	102.00	105.00	3.00	0.15
ACRC331	105.00	108.00	3.00	0.21
ACRC331	108.00	110.00	2.00	0.09
ACRC332	0.00	3.00	3.00	0.10
ACRC332	3.00	6.00	3.00	0.04
ACRC332	6.00	9.00	3.00	0.07
ACRC332	9.00	12.00	3.00	0.02
ACRC332	12.00	15.00	3.00	0.01
ACRC332	15.00	18.00	3.00	0.00
ACRC332	18.00	21.00	3.00	0.00
ACRC332	21.00	24.00	3.00	0.02
ACRC332	24.00	27.00	3.00	0.00
ACRC332	27.00	30.00	3.00	0.02
ACRC332	30.00	33.00	3.00	0.03
ACRC332	33.00	36.00	3.00	0.05
ACRC332	36.00	39.00	3.00	0.02
ACRC332	39.00	42.00	3.00	0.08
ACRC332	42.00	45.00	3.00	0.03
ACRC332	45.00	48.00	3.00	0.02
ACRC332	48.00	51.00	3.00	0.07
ACRC332	51.00	54.00	3.00	0.02
ACRC332	54.00	57.00	3.00	0.00
ACRC332	57.00	60.00	3.00	0.03
ACRC332	60.00	63.00	3.00	0.02
ACRC332	63.00	66.00	3.00	0.10

ACRC332	66.00	69.00	3.00	0.03	
ACRC332	69.00	72.00	3.00	0.04	
ACRC332	72.00	75.00	3.00	0.05	
ACRC332	75.00	78.00	3.00	0.16	
ACRC332	78.00	81.00	3.00	0.05	
ACRC332	81.00	84.00	3.00	0.12	
ACRC332	84.00	87.00	3.00	0.28	
ACRC332	87.00	90.00	3.00	0.91	
ACRC332	90.00	93.00	3.00	2.10	1.94
ACRC332	93.00	96.00	3.00	1.21	1.12
ACRC332	96.00	99.00	3.00	0.31	
ACRC332	99.00	102.00	3.00	0.06	
ACRC332	102.00	105.00	3.00	0.55	
ACRC332	105.00	108.00	3.00	0.34	
ACRC332	108.00	111.00	3.00	0.79	
ACRC332	111.00	114.00	3.00	0.25	
ACRC332	114.00	117.00	3.00	1.75	
ACRC332	117.00	120.00	3.00	5.00	
ACRC332	120.00	123.00	3.00	1.32	
ACRC332	123.00	126.00	3.00	0.98	
ACRC332	126.00	129.00	3.00	32.58	34.38
ACRC332	129.00	132.00	3.00	22.95	22.10
ACRC332	132.00	135.00	3.00	0.28	
ACRC332	135.00	138.00	3.00	0.23	
ACRC332	138.00	140.00	2.00	0.17	
ACRC333	0.00	3.00	3.00	0.03	
ACRC333	3.00	6.00	3.00	0.00	
ACRC333	6.00	9.00	3.00	0.08	
ACRC333	9.00	12.00	3.00	0.02	
ACRC333	12.00	15.00	3.00	0.02	
ACRC333	15.00	18.00	3.00	0.05	
ACRC333	18.00	21.00	3.00	0.00	
ACRC333	21.00	24.00	3.00	0.02	
ACRC333	24.00	27.00	3.00	0.03	
ACRC333	27.00	30.00	3.00	0.00	
ACRC333	30.00	33.00	3.00	0.02	
ACRC333	33.00	36.00	3.00	0.02	
ACRC333	36.00	39.00	3.00	0.02	
ACRC333	39.00	42.00	3.00	0.02	
ACRC333	42.00	45.00	3.00	0.00	
ACRC333	45.00	48.00	3.00	0.02	
ACRC333	48.00	51.00	3.00	0.83	
ACRC333	51.00	54.00	3.00	1.40	
ACRC333	54.00	57.00	3.00	3.62	3.31
ACRC333	57.00	60.00	3.00	0.09	
ACRC333	60.00	63.00	3.00	0.08	
ACRC333	63.00	66.00	3.00	0.02	
ACRC333	66.00	69.00	3.00	0.03	

ACRC333	69.00	72.00	3.00	0.02	
ACRC333	72.00	75.00	3.00	0.02	
ACRC333	75.00	78.00	3.00	0.02	
ACRC333	78.00	81.00	3.00	0.03	
ACRC333	81.00	84.00	3.00	0.24	
ACRC333	84.00	87.00	3.00	0.11	
ACRC333	87.00	90.00	3.00	0.02	
ACRC333	90.00	93.00	3.00	0.02	
ACRC333	93.00	96.00	3.00	0.27	
ACRC333	96.00	99.00	3.00	0.00	
ACRC333	99.00	102.00	3.00	0.00	
ACRC333	102.00	105.00	3.00	0.16	
ACRC333	105.00	108.00	3.00	0.23	
ACRC333	108.00	111.00	3.00	0.03	
ACRC333	111.00	114.00	3.00	0.03	
ACRC333	114.00	117.00	3.00	0.04	
ACRC333	117.00	120.00	3.00	0.24	
ACRC333	120.00	123.00	3.00	0.27	
ACRC333	123.00	126.00	3.00	0.05	
ACRC333	126.00	129.00	3.00	0.05	
ACRC333	129.00	132.00	3.00	0.26	
ACRC333	132.00	135.00	3.00	0.08	
ACRC333	135.00	138.00	3.00	0.31	
ACRC333	138.00	140.00	2.00	0.02	
ACRC334	0.00	3.00	3.00	0.09	
ACRC334	3.00	6.00	3.00	0.06	
ACRC334	6.00	9.00	3.00	0.42	
ACRC334	9.00	12.00	3.00	0.42	
ACRC334	12.00	15.00	3.00	0.05	
ACRC334	15.00	18.00	3.00	0.42	
ACRC334	18.00	21.00	3.00	0.06	
ACRC334	21.00	24.00	3.00	1.01	0.96
ACRC334	24.00	27.00	3.00	0.43	
ACRC334	27.00	30.00	3.00	0.24	
ACRC334	30.00	33.00	3.00	0.03	
ACRC334	33.00	36.00	3.00	0.02	
ACRC334	36.00	39.00	3.00	1.08	1.12
ACRC334	39.00	42.00	3.00	0.02	
ACRC334	42.00	45.00	3.00	0.16	
ACRC334	45.00	48.00	3.00	0.02	
ACRC334	48.00	51.00	3.00	0.09	
ACRC334	51.00	54.00	3.00	0.36	
ACRC334	54.00	57.00	3.00	0.58	
ACRC334	57.00	60.00	3.00	1.73	
ACRC334	60.00	63.00	3.00	3.76	3.45
ACRC334	63.00	66.00	3.00	0.17	
ACRC334	66.00	69.00	3.00	0.44	
ACRC334	69.00	72.00	3.00	19.53	

ACRC334	72.00	75.00	3.00	0.12
ACRC334	75.00	78.00	3.00	0.38
ACRC334	78.00	81.00	3.00	0.45
ACRC334	81.00	84.00	3.00	0.97
ACRC334	84.00	87.00	3.00	1.46
ACRC334	87.00	90.00	3.00	1.70
ACRC334	90.00	93.00	3.00	3.08
ACRC334	93.00	96.00	3.00	4.28
ACRC334	96.00	99.00	3.00	1.14
ACRC334	99.00	102.00	3.00	29.70
ACRC334	102.00	105.00	3.00	1.12
ACRC334	105.00	108.00	3.00	0.58
ACRC334	108.00	111.00	3.00	0.36
ACRC334	111.00	114.00	3.00	0.67
ACRC334	114.00	117.00	3.00	1.09
ACRC334	117.00	120.00	3.00	0.84
ACRC335	0.00	3.00	3.00	0.16
ACRC335	3.00	6.00	3.00	0.00
ACRC335	6.00	9.00	3.00	0.01
ACRC335	9.00	12.00	3.00	0.01
ACRC335	12.00	15.00	3.00	0.03
ACRC335	15.00	18.00	3.00	0.07
ACRC335	18.00	21.00	3.00	0.05
ACRC335	21.00	24.00	3.00	0.07
ACRC335	24.00	27.00	3.00	0.04
ACRC335	27.00	30.00	3.00	0.01
ACRC335	30.00	33.00	3.00	0.02
ACRC335	33.00	36.00	3.00	0.01
ACRC335	36.00	39.00	3.00	0.03
ACRC335	39.00	42.00	3.00	0.04
ACRC335	42.00	45.00	3.00	0.04
ACRC335	45.00	48.00	3.00	0.04
ACRC335	48.00	51.00	3.00	0.02
ACRC335	51.00	54.00	3.00	0.00
ACRC335	54.00	57.00	3.00	0.02
ACRC335	57.00	60.00	3.00	0.00
ACRC335	60.00	63.00	3.00	0.03
ACRC335	63.00	66.00	3.00	0.03
ACRC335	66.00	69.00	3.00	0.04
ACRC335	69.00	72.00	3.00	0.04
ACRC335	72.00	75.00	3.00	0.04
ACRC335	75.00	78.00	3.00	0.03
ACRC335	78.00	81.00	3.00	0.06
ACRC335	81.00	84.00	3.00	0.03
ACRC335	84.00	87.00	3.00	0.02
ACRC335	87.00	90.00	3.00	0.00
ACRC335	90.00	93.00	3.00	0.00
ACRC335	93.00	96.00	3.00	0.00

ACRC335	96.00	99.00	3.00	0.02	
ACRC335	99.00	102.00	3.00	0.05	
ACRC335	102.00	105.00	3.00	0.03	
ACRC335	105.00	108.00	3.00	0.02	0.02
ACRC335	108.00	111.00	3.00	0.02	
ACRC335	111.00	114.00	3.00	0.03	
ACRC335	114.00	117.00	3.00	0.02	
ACRC335	117.00	120.00	3.00	0.00	
ACRC335	120.00	123.00	3.00	0.00	
ACRC335	123.00	126.00	3.00	0.00	
ACRC335	126.00	129.00	3.00	0.00	
ACRC335	129.00	132.00	3.00	0.02	
ACRC335	132.00	135.00	3.00	0.03	
ACRC335	135.00	138.00	3.00	0.08	
ACRC335	138.00	140.00	2.00	0.02	
ACRC336	0.00	3.00	3.00	0.02	
ACRC336	3.00	6.00	3.00	0.00	
ACRC336	6.00	9.00	3.00	0.00	
ACRC336	9.00	12.00	3.00	0.00	
ACRC336	12.00	15.00	3.00	0.00	
ACRC336	15.00	18.00	3.00	0.00	
ACRC336	18.00	21.00	3.00	0.00	
ACRC336	21.00	24.00	3.00	0.00	
ACRC336	24.00	27.00	3.00	0.00	
ACRC336	27.00	30.00	3.00	0.06	
ACRC336	30.00	33.00	3.00	0.03	
ACRC336	33.00	36.00	3.00	0.02	
ACRC336	36.00	39.00	3.00	0.00	
ACRC336	39.00	42.00	3.00	0.00	
ACRC336	42.00	45.00	3.00	0.00	
ACRC336	45.00	48.00	3.00	0.00	
ACRC336	48.00	51.00	3.00	0.00	
ACRC336	51.00	54.00	3.00	0.00	
ACRC336	54.00	57.00	3.00	0.00	
ACRC336	57.00	60.00	3.00	0.00	
ACRC336	60.00	63.00	3.00	0.00	
ACRC336	63.00	66.00	3.00	0.03	
ACRC336	66.00	69.00	3.00	0.00	
ACRC336	69.00	72.00	3.00	0.09	
ACRC336	72.00	75.00	3.00	0.00	
ACRC336	75.00	78.00	3.00	0.00	
ACRC336	78.00	81.00	3.00	0.00	
ACRC336	81.00	84.00	3.00	0.05	
ACRC336	84.00	87.00	3.00	1.28	1.34
ACRC336	87.00	90.00	3.00	0.21	0.21
ACRC336	90.00	93.00	3.00	0.94	
ACRC336	93.00	96.00	3.00	0.33	
ACRC336	96.00	99.00	3.00	0.10	

ACRC336	99.00	102.00	3.00	0.48	
ACRC336	102.00	105.00	3.00	0.38	
ACRC336	105.00	108.00	3.00	0.07	
ACRC336	108.00	111.00	3.00	0.04	
ACRC336	111.00	114.00	3.00	0.00	
ACRC336	114.00	117.00	3.00	0.00	
ACRC336	117.00	120.00	3.00	0.00	
ACRC336	120.00	123.00	3.00	0.07	
ACRC336	123.00	126.00	3.00	0.21	
ACRC336	126.00	129.00	3.00	0.07	
ACRC336	129.00	132.00	3.00	0.02	
ACRC336	132.00	135.00	3.00	0.05	
ACRC336	135.00	138.00	3.00	0.01	
ACRC336	138.00	140.00	2.00	0.00	
ACRC337	0.00	3.00	3.00	0.04	
ACRC337	3.00	6.00	3.00	0.00	
ACRC337	6.00	9.00	3.00	0.00	
ACRC337	9.00	12.00	3.00	0.00	
ACRC337	12.00	15.00	3.00	0.00	
ACRC337	15.00	18.00	3.00	0.00	
ACRC337	18.00	21.00	3.00	0.00	
ACRC337	21.00	24.00	3.00	0.00	
ACRC337	24.00	27.00	3.00	0.00	
ACRC337	27.00	30.00	3.00	0.00	
ACRC337	30.00	33.00	3.00	0.00	
ACRC337	33.00	36.00	3.00	0.00	
ACRC337	36.00	39.00	3.00	0.11	
ACRC337	39.00	42.00	3.00	0.00	
ACRC337	42.00	45.00	3.00	0.40	
ACRC337	45.00	48.00	3.00	0.05	
ACRC337	48.00	51.00	3.00	0.00	
ACRC337	51.00	54.00	3.00	0.18	
ACRC337	54.00	57.00	3.00	0.00	
ACRC337	57.00	60.00	3.00	0.00	
ACRC337	60.00	63.00	3.00	0.00	
ACRC337	63.00	66.00	3.00	0.05	0.04
ACRC337	66.00	69.00	3.00	0.00	
ACRC337	69.00	72.00	3.00	0.06	
ACRC337	72.00	75.00	3.00	0.00	
ACRC337	75.00	78.00	3.00	0.00	
ACRC337	78.00	81.00	3.00	0.00	
ACRC337	81.00	84.00	3.00	0.00	
ACRC337	84.00	87.00	3.00	0.15	0.14
ACRC337	87.00	90.00	3.00	0.21	0.22
ACRC337	90.00	93.00	3.00	0.27	
ACRC337	93.00	96.00	3.00	0.01	
ACRC337	96.00	99.00	3.00	0.07	
ACRC337	99.00	102.00	3.00	0.09	

ACRC337	102.00	105.00	3.00	0.15	0.14
ACRC337	105.00	108.00	3.00	0.23	
ACRC337	108.00	111.00	3.00	0.01	
ACRC337	111.00	114.00	3.00	0.07	
ACRC337	114.00	117.00	3.00	0.16	
ACRC337	117.00	120.00	3.00	0.11	
ACRC337	120.00	123.00	3.00	0.02	
ACRC337	123.00	126.00	3.00	0.00	
ACRC337	126.00	129.00	3.00	0.05	0.05
ACRC337	129.00	132.00	3.00	0.00	
ACRC337	132.00	135.00	3.00	0.00	
ACRC337	135.00	138.00	3.00	0.00	
ACRC337	138.00	140.00	2.00	0.00	
ACRC338	0.00	3.00	3.00	0.18	
ACRC338	3.00	6.00	3.00	0.00	
ACRC338	6.00	9.00	3.00	0.00	
ACRC338	9.00	12.00	3.00	0.00	
ACRC338	12.00	15.00	3.00	0.00	
ACRC338	15.00	18.00	3.00	0.00	
ACRC338	18.00	21.00	3.00	0.00	
ACRC338	21.00	24.00	3.00	0.00	
ACRC338	24.00	27.00	3.00	0.00	
ACRC338	27.00	30.00	3.00	0.00	
ACRC338	30.00	33.00	3.00	0.00	
ACRC338	33.00	36.00	3.00	0.00	
ACRC338	36.00	39.00	3.00	0.02	
ACRC338	42.00	45.00	3.00	0.00	
ACRC338	45.00	48.00	3.00	0.00	
ACRC338	48.00	51.00	3.00	0.00	
ACRC338	51.00	54.00	3.00	0.03	
ACRC338	54.00	57.00	3.00	0.00	
ACRC338	57.00	60.00	3.00	0.00	
ACRC338	60.00	63.00	3.00	0.00	
ACRC338	63.00	66.00	3.00	0.00	
ACRC338	66.00	69.00	3.00	0.00	
ACRC338	69.00	72.00	3.00	0.00	
ACRC338	72.00	75.00	3.00	0.01	
ACRC338	75.00	78.00	3.00	0.00	
ACRC338	78.00	81.00	3.00	0.00	
ACRC338	81.00	84.00	3.00	0.05	
ACRC338	84.00	87.00	3.00	0.03	
ACRC338	87.00	90.00	3.00	0.03	
ACRC338	90.00	93.00	3.00	0.00	0.00
ACRC338	93.00	96.00	3.00	0.00	
ACRC338	96.00	99.00	3.00	0.00	
ACRC338	99.00	102.00	3.00	0.07	
ACRC338	102.00	105.00	3.00	0.00	
ACRC338	105.00	108.00	3.00	0.55	0.56

ACRC338	108.00	111.00	3.00	0.05	
ACRC338	111.00	114.00	3.00	0.00	
ACRC338	114.00	117.00	3.00	0.01	
ACRC338	117.00	120.00	3.00	0.00	
ACRC338	120.00	123.00	3.00	0.02	
ACRC338	123.00	126.00	3.00	0.07	
ACRC338	126.00	129.00	3.00	0.06	
ACRC338	129.00	132.00	3.00	0.64	0.69
ACRC338	132.00	135.00	3.00	0.64	0.59
ACRC338	135.00	138.00	3.00	0.06	
ACRC338	138.00	140.00	2.00	0.03	
ACRC339	0.00	3.00	3.00	0.13	
ACRC339	3.00	6.00	3.00	0.04	
ACRC339	6.00	9.00	3.00	0.19	
ACRC339	9.00	12.00	3.00	0.44	
ACRC339	12.00	15.00	3.00	0.36	
ACRC339	15.00	18.00	3.00	0.11	
ACRC339	18.00	21.00	3.00	0.06	
ACRC339	21.00	24.00	3.00	0.11	
ACRC339	24.00	27.00	3.00	1.59	
ACRC339	27.00	30.00	3.00	0.07	
ACRC339	30.00	33.00	3.00	0.05	
ACRC339	33.00	36.00	3.00	0.04	
ACRC339	36.00	39.00	3.00	0.30	
ACRC339	39.00	42.00	3.00	0.08	
ACRC339	42.00	45.00	3.00	0.02	
ACRC339	45.00	48.00	3.00	0.03	
ACRC339	48.00	51.00	3.00	0.08	
ACRC339	51.00	54.00	3.00	0.06	
ACRC339	54.00	57.00	3.00	0.00	
ACRC339	57.00	60.00	3.00	0.00	
ACRC339	60.00	63.00	3.00	0.00	
ACRC339	63.00	66.00	3.00	0.02	0.03
ACRC339	66.00	69.00	3.00	0.00	
ACRC339	69.00	72.00	3.00	0.00	
ACRC339	72.00	75.00	3.00	0.00	
ACRC339	75.00	78.00	3.00	0.03	
ACRC339	78.00	81.00	3.00	0.00	
ACRC339	81.00	84.00	3.00	0.00	
ACRC339	84.00	87.00	3.00	0.25	0.23
ACRC339	87.00	90.00	3.00	0.05	
ACRC339	90.00	93.00	3.00	0.00	
ACRC339	93.00	96.00	3.00	0.03	
ACRC339	96.00	99.00	3.00	0.00	
ACRC339	99.00	102.00	3.00	0.03	
ACRC339	102.00	105.00	3.00	0.00	
ACRC339	105.00	108.00	3.00	0.00	
ACRC339	108.00	111.00	3.00	0.02	

ACRC339	111.00	114.00	3.00	0.03	
ACRC339	114.00	117.00	3.00	0.00	
ACRC339	117.00	120.00	3.00	0.02	
ACRC339	120.00	123.00	3.00	0.22	0.21
ACRC339	123.00	126.00	3.00	0.05	
ACRC339	126.00	129.00	3.00	0.08	
ACRC339	129.00	132.00	3.00	0.06	
ACRC339	132.00	135.00	3.00	0.07	
ACRC339	135.00	138.00	3.00	0.03	
ACRC339	138.00	140.00	2.00	0.02	
AWRC330	12.00	15.00	3.00	0.27	
AWRC330	15.00	18.00	3.00	0.23	
AWRC330	18.00	21.00	3.00	0.33	
AWRC330	21.00	24.00	3.00	0.66	0.72
AWRC330	24.00	27.00	3.00	0.03	
AWRC330	27.00	30.00	3.00	0.03	
AWRC330	30.00	33.00	3.00	0.25	
AWRC330	33.00	36.00	3.00	0.08	
AWRC330	36.00	39.00	3.00	0.06	
AWRC330	39.00	42.00	3.00	0.07	
AWRC330	42.00	45.00	3.00	0.07	
AWRC330	45.00	48.00	3.00	0.07	
AWRC330	48.00	51.00	3.00	0.02	
AWRC330	51.00	54.00	3.00	0.04	
AWRC330	54.00	57.00	3.00	0.30	
AWRC330	57.00	60.00	3.00	0.05	
AWRC330	60.00	63.00	3.00	0.16	
AWRC330	63.00	66.00	3.00	0.12	
AWRC330	66.00	69.00	3.00	0.11	
AWRC330	69.00	72.00	3.00	1.22	1.35
AWRC330	72.00	75.00	3.00	0.32	0.31
AWRC330	75.00	78.00	3.00	1.13	
AWRC330	78.00	81.00	3.00	1.15	
AWRC330	81.00	84.00	3.00	4.57	
AWRC330	84.00	86.00	2.00	3.85	3.88
AWRC331	0.00	3.00	3.00	0.19	
AWRC331	3.00	6.00	3.00	0.21	
AWRC331	6.00	9.00	3.00	0.00	
AWRC331	9.00	12.00	3.00	0.00	
AWRC331	12.00	15.00	3.00	0.00	
AWRC331	15.00	18.00	3.00	0.01	
AWRC331	18.00	21.00	3.00	0.00	
AWRC331	21.00	24.00	3.00	0.00	
AWRC331	24.00	27.00	3.00	0.00	
AWRC331	27.00	30.00	3.00	0.00	
AWRC331	30.00	33.00	3.00	0.00	
AWRC331	33.00	36.00	3.00	0.01	
AWRC331	36.00	39.00	3.00	0.02	

AWRC331	39.00	42.00	3.00	0.00	
AWRC331	42.00	45.00	3.00	0.00	
AWRC331	45.00	48.00	3.00	0.00	
AWRC331	48.00	51.00	3.00	0.00	
AWRC331	51.00	54.00	3.00	0.02	
AWRC331	54.00	57.00	3.00	0.03	
AWRC331	57.00	60.00	3.00	0.03	
AWRC331	60.00	63.00	3.00	0.02	
AWRC331	63.00	66.00	3.00	0.00	
AWRC331	66.00	69.00	3.00	0.02	
AWRC331	69.00	72.00	3.00	0.03	
AWRC331	72.00	75.00	3.00	0.03	
AWRC331	75.00	78.00	3.00	0.02	
AWRC331	78.00	80.00	2.00	0.00	
AWRC332	0.00	3.00	3.00	0.03	
AWRC332	3.00	6.00	3.00	0.02	
AWRC332	6.00	9.00	3.00	0.01	
AWRC332	9.00	12.00	3.00	0.01	
AWRC332	12.00	15.00	3.00	0.00	
AWRC332	15.00	18.00	3.00	0.02	
AWRC332	18.00	21.00	3.00	0.03	
AWRC332	21.00	24.00	3.00	0.03	
AWRC332	24.00	27.00	3.00	0.04	
AWRC332	27.00	30.00	3.00	0.03	
AWRC332	30.00	33.00	3.00	0.03	
AWRC332	33.00	36.00	3.00	0.04	
AWRC332	36.00	39.00	3.00	0.02	
AWRC332	39.00	42.00	3.00	0.04	
AWRC332	42.00	45.00	3.00	0.00	
AWRC332	45.00	48.00	3.00	0.02	
AWRC332	48.00	51.00	3.00	0.00	
AWRC332	51.00	54.00	3.00	0.01	
AWRC332	54.00	57.00	3.00	0.00	
AWRC332	57.00	60.00	3.00	0.02	
AWRC332	60.00	63.00	3.00	0.01	
AWRC332	63.00	66.00	3.00	0.00	
AWRC332	66.00	69.00	3.00	0.01	
AWRC332	69.00	72.00	3.00	0.02	
AWRC332	72.00	75.00	3.00	0.05	
AWRC332	75.00	78.00	3.00	0.03	
AWRC332	78.00	81.00	3.00	0.03	
AWRC332	81.00	84.00	3.00	0.02	
AWRC332	84.00	86.00	2.00	0.02	
AWRC333	0.00	3.00	3.00	0.26	
AWRC333	3.00	6.00	3.00	0.07	
AWRC333	6.00	9.00	3.00	0.00	
AWRC333	9.00	12.00	3.00	0.00	0.00
AWRC333	12.00	15.00	3.00	0.00	

AWRC333	15.00	18.00	3.00	0.00	
AWRC333	18.00	21.00	3.00	0.02	
AWRC333	21.00	24.00	3.00	0.02	
AWRC333	24.00	27.00	3.00	0.03	
AWRC333	27.00	30.00	3.00	0.02	
AWRC333	30.00	33.00	3.00	0.03	
AWRC333	33.00	36.00	3.00	0.02	
AWRC333	36.00	39.00	3.00	0.00	
AWRC333	39.00	42.00	3.00	0.01	
AWRC333	42.00	45.00	3.00	0.03	
AWRC333	45.00	48.00	3.00	0.03	
AWRC333	48.00	51.00	3.00	0.03	
AWRC333	51.00	54.00	3.00	0.09	
AWRC333	54.00	57.00	3.00	0.60	0.57
AWRC333	57.00	60.00	3.00	0.42	
AWRC333	60.00	63.00	3.00	0.03	0.04
AWRC333	63.00	66.00	3.00	0.53	
AWRC333	66.00	69.00	3.00	0.08	
AWRC333	69.00	72.00	3.00	0.06	
AWRC333	72.00	75.00	3.00	0.05	
AWRC333	75.00	78.00	3.00	1.57	
AWRC333	78.00	81.00	3.00	0.19	
AWRC333	81.00	84.00	3.00	0.02	
AWRC333	84.00	87.00	3.00	0.07	
AWRC333	87.00	90.00	3.00	0.04	
AWRC334	0.00	3.00	3.00	0.08	
AWRC334	3.00	6.00	3.00	0.06	
AWRC334	6.00	9.00	3.00	0.09	
AWRC334	9.00	12.00	3.00	0.03	
AWRC334	12.00	15.00	3.00	0.02	
AWRC334	15.00	18.00	3.00	0.48	0.53
AWRC334	18.00	21.00	3.00	0.34	
AWRC334	21.00	24.00	3.00	0.14	
AWRC334	24.00	27.00	3.00	0.11	
AWRC334	27.00	30.00	3.00	0.13	
AWRC334	30.00	33.00	3.00	0.07	
AWRC334	33.00	36.00	3.00	0.03	
AWRC334	36.00	39.00	3.00	0.03	
AWRC334	39.00	42.00	3.00	0.04	
AWRC334	42.00	45.00	3.00	0.00	
AWRC334	45.00	48.00	3.00	0.03	
AWRC334	48.00	51.00	3.00	0.04	
AWRC334	51.00	54.00	3.00	0.03	
AWRC334	54.00	57.00	3.00	0.00	
AWRC334	57.00	60.00	3.00	0.00	
AWRC334	60.00	63.00	3.00	0.02	
AWRC334	63.00	66.00	3.00	0.01	
AWRC334	66.00	69.00	3.00	0.03	

AWRC334	69.00	72.00	3.00	0.02	
AWRC334	72.00	75.00	3.00	0.02	
AWRC334	75.00	78.00	3.00	0.02	
AWRC334	78.00	81.00	3.00	0.00	
AWRC334	81.00	84.00	3.00	0.00	
AWRC334	84.00	87.00	3.00	0.00	
AWRC334	87.00	90.00	3.00	0.00	
AWRC334	90.00	93.00	3.00	0.03	
AWRC334	93.00	96.00	3.00	0.01	
AWRC334	96.00	99.00	3.00	0.00	
AWRC334	99.00	102.00	3.00	0.03	
AWRC334	102.00	105.00	3.00	0.02	
AWRC334	105.00	108.00	3.00	0.02	
AWRC334	108.00	111.00	3.00	0.00	
AWRC334	111.00	114.00	3.00	0.00	
AWRC334	114.00	117.00	3.00	0.02	
AWRC334	117.00	120.00	3.00	0.02	
AWRC335	0.00	3.00	3.00	0.24	
AWRC335	3.00	6.00	3.00	0.05	
AWRC335	6.00	9.00	3.00	0.20	
AWRC335	9.00	12.00	3.00	0.00	
AWRC335	12.00	15.00	3.00	0.00	
AWRC335	15.00	18.00	3.00	0.00	
AWRC335	18.00	21.00	3.00	0.04	
AWRC335	21.00	24.00	3.00	0.08	
AWRC335	24.00	27.00	3.00	0.02	
AWRC335	27.00	30.00	3.00	0.01	
AWRC335	30.00	33.00	3.00	0.14	
AWRC335	33.00	36.00	3.00	0.15	
AWRC335	36.00	39.00	3.00	0.03	
AWRC335	39.00	42.00	3.00	0.07	
AWRC335	42.00	45.00	3.00	0.15	
AWRC335	45.00	48.00	3.00	0.12	
AWRC335	48.00	51.00	3.00	0.02	
AWRC335	51.00	54.00	3.00	0.38	0.39
AWRC335	54.00	57.00	3.00	0.07	
AWRC335	57.00	60.00	3.00	0.07	
AWRC335	60.00	63.00	3.00	0.06	
AWRC335	63.00	66.00	3.00	0.10	
AWRC335	66.00	69.00	3.00	0.09	
AWRC335	69.00	72.00	3.00	0.08	
AWRC335	72.00	75.00	3.00	0.07	
AWRC335	75.00	78.00	3.00	0.09	
AWRC335	78.00	81.00	3.00	0.04	
AWRC335	81.00	84.00	3.00	0.47	
AWRC335	84.00	87.00	3.00	0.11	
AWRC335	87.00	90.00	3.00	0.22	
AWRC335	90.00	93.00	3.00	0.01	

AWRC335	93.00	96.00	3.00	0.11	
AWRC335	96.00	99.00	3.00	0.02	
AWRC335	99.00	102.00	3.00	0.08	
AWRC335	102.00	105.00	3.00	0.07	
AWRC335	105.00	108.00	3.00	0.07	
AWRC335	108.00	111.00	3.00	0.21	
AWRC335	111.00	114.00	3.00	0.28	
AWRC335	114.00	117.00	3.00	0.29	0.28
AWRC336	0.00	3.00	3.00	0.04	
AWRC336	3.00	6.00	3.00	0.07	
AWRC336	6.00	9.00	3.00	0.04	
AWRC336	9.00	12.00	3.00	0.93	0.84
AWRC336	12.00	15.00	3.00	0.13	
AWRC336	15.00	18.00	3.00	0.03	
AWRC336	18.00	21.00	3.00	0.07	
AWRC336	21.00	24.00	3.00	0.05	
AWRC336	24.00	27.00	3.00	0.02	
AWRC336	27.00	30.00	3.00	0.04	
AWRC336	30.00	33.00	3.00	0.00	
AWRC336	33.00	36.00	3.00	0.86	0.93
AWRC336	36.00	39.00	3.00	0.43	
AWRC336	39.00	42.00	3.00	0.05	
AWRC336	42.00	45.00	3.00	0.32	
AWRC336	45.00	48.00	3.00	0.00	
AWRC336	48.00	51.00	3.00	0.00	
AWRC336	51.00	54.00	3.00	0.00	
AWRC336	54.00	57.00	3.00	4.07	
AWRC336	57.00	60.00	3.00	4.25	
AWRC336	60.00	63.00	3.00	3.23	
AWRC336	63.00	66.00	3.00	2.91	
AWRC336	66.00	69.00	3.00	1.03	
AWRC336	69.00	72.00	3.00	3.32	
AWRC336	72.00	75.00	3.00	0.81	
AWRC336	75.00	78.00	3.00	1.14	
AWRC336	78.00	81.00	3.00	0.65	
AWRC336	81.00	84.00	3.00	0.69	
AWRC336	84.00	87.00	3.00	2.23	
AWRC336	87.00	90.00	3.00	1.72	1.80
AWRC336	90.00	93.00	3.00	1.00	
AWRC336	93.00	96.00	3.00	0.46	
AWRC336	96.00	99.00	3.00	1.29	
AWRC337	0.00	3.00	3.00	0.08	
AWRC337	3.00	6.00	3.00	0.10	
AWRC337	6.00	9.00	3.00	0.00	
AWRC337	9.00	12.00	3.00	0.00	
AWRC337	12.00	15.00	3.00	0.06	
AWRC337	15.00	18.00	3.00	0.02	
AWRC337	18.00	21.00	3.00	0.03	

AWRC337	21.00	24.00	3.00	0.09	0.08
AWRC337	24.00	27.00	3.00	0.05	
AWRC337	27.00	30.00	3.00	0.05	
AWRC337	30.00	33.00	3.00	0.18	
AWRC337	33.00	36.00	3.00	0.00	
AWRC337	36.00	39.00	3.00	0.04	
AWRC337	39.00	42.00	3.00	0.00	
AWRC337	42.00	45.00	3.00	0.00	
AWRC337	45.00	48.00	3.00	0.00	
AWRC337	48.00	51.00	3.00	0.00	
AWRC337	51.00	54.00	3.00	0.00	
AWRC337	54.00	57.00	3.00	0.00	
AWRC337	57.00	60.00	3.00	0.00	
AWRC337	60.00	63.00	3.00	0.00	
AWRC337	63.00	66.00	3.00	0.03	
AWRC337	66.00	69.00	3.00	0.00	
AWRC338	0.00	3.00	3.00	0.06	
AWRC338	3.00	6.00	3.00	0.02	
AWRC338	6.00	9.00	3.00	0.00	
AWRC338	9.00	12.00	3.00	0.07	
AWRC338	12.00	15.00	3.00	0.30	
AWRC338	15.00	18.00	3.00	0.28	
AWRC338	18.00	21.00	3.00	0.05	
AWRC338	21.00	24.00	3.00	0.14	
AWRC338	24.00	27.00	3.00	0.10	
AWRC338	27.00	30.00	3.00	0.15	
AWRC338	30.00	33.00	3.00	0.22	
AWRC338	33.00	36.00	3.00	1.45	1.73
AWRC338	36.00	39.00	3.00	0.72	
AWRC338	39.00	42.00	3.00	0.27	
AWRC338	42.00	45.00	3.00	0.04	
AWRC338	45.00	48.00	3.00	0.05	
AWRC338	48.00	51.00	3.00	0.06	
AWRC338	51.00	54.00	3.00	0.03	
AWRC338	54.00	57.00	3.00	0.03	
AWRC338	57.00	60.00	3.00	0.00	
AWRC338	60.00	63.00	3.00	0.00	
AWRC338	63.00	66.00	3.00	0.03	
AWRC338	66.00	69.00	3.00	0.28	
AWRC338	69.00	72.00	3.00	0.54	
AWRC338	72.00	75.00	3.00	0.49	
AWRC338	75.00	78.00	3.00	0.09	
AWRC338	78.00	81.00	3.00	0.38	
AWRC338	81.00	84.00	3.00	0.46	
AWRC338	84.00	87.00	3.00	0.42	
AWRC338	87.00	90.00	3.00	0.24	
AWRC338	90.00	93.00	3.00	0.17	
AWRC338	93.00	96.00	3.00	0.89	

AWRC338	96.00	99.00	3.00	0.50
AWRC338	99.00	102.00	3.00	0.03
AWRC338	102.00	105.00	3.00	0.04

Appendix 3 JORC Code, 2012 Edition – Table 1

Section 1 Sampling Techniques and Data

Criteria		Commentary
Sampling techniques	<ul style="list-style-type: none"> Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling. Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used. Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information. 	<ul style="list-style-type: none"> RC drilling was used to obtain 3m composite samples; The individual 1m samples were split by riffle splitter. Sub-sample size 1 to 2kg; The sampling technique utilizes industry standard RC drilling sampling methods.
Drilling techniques	<ul style="list-style-type: none"> Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc). 	<ul style="list-style-type: none"> RC drilling
Drill sample recovery	<ul style="list-style-type: none"> Method of recording and assessing core and chip sample recoveries and results assessed. Measures taken to maximise sample recovery and ensure representative nature of the samples. Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material. 	<ul style="list-style-type: none"> Samples weighed at drill site to record recovery; Hole cleared after each 1m drilled and splitter cleaned with compressed air; The relationship between grade and sample recovery is not known and is to be investigated by diamond drilling.
Logging	<ul style="list-style-type: none"> Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies. Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography. The total length and percentage of the relevant intersections logged. 	<ul style="list-style-type: none"> All intervals geologically logged directly into field notebooks recording lithology, oxidation, mineralisation, hardness, colour; Logging is qualitative in terms of estimated quartz content and alteration intensity. All washed chip samples stored in chip trays, photographed and stored for future reference; The whole of the hole is logged.
Sub-sampling techniques and sample preparation	<ul style="list-style-type: none"> If core, whether cut or sawn and whether quarter, half or other proportion taken. If non-core, whether riffled, tube sampled, rotary split or otherwise sampled, and whether sampled wet or dry. For all sample types, the nature, quality and appropriateness of the sample preparation technique. Quality control procedures adopted for all sub-sampling to maximise representivity of samples. Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance result splitting, duplicate/second-half sampling. 	<ul style="list-style-type: none"> No core samples have been collected; Sub samples collected using a riffle splitter; The sampling technique is appropriate for the method; Duplicate field splits and internal standards inserted samples; AS above; The sample size is appropriate for the

Criteria		Commentary
	<ul style="list-style-type: none"> Whether sample sizes are appropriate to the grain size of the material being sampled. 	<ul style="list-style-type: none"> mineralisation style.
Quality of assay data and laboratory tests	<ul style="list-style-type: none"> The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total. For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc. Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established. 	<ul style="list-style-type: none"> Sample preparation by Intertek via drying and total pulverization with analysis by fire assay (method FA51/AAS); Portable XRF analysis was not used; Regular insertion of blanks, duplicates and standards were used with regular monitoring of the results. There is no indication of bias.
Verification of sampling and assaying	<ul style="list-style-type: none"> The verification of significant intersections by either independent or alternative company personnel. The use of twinned holes. Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols. Discuss any adjustment to assay data. 	<ul style="list-style-type: none"> Verification of significant intersections is regularly carried out by site visits by senior geologist and the project manager; A number of the significant intersections have been tests by holes drilled from different locations at different azimuths and dips. These have verified the original significant intersections; Assay entry by digital capture of laboratory files, with later verification of significant intervals against original files; There has been no adjustment of the original data.
Location of data points	<ul style="list-style-type: none"> Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation. Specification of the grid system used. Quality and adequacy of topographic control. 	<ul style="list-style-type: none"> Holes located initially by GPS ($\pm 5m$) and later surveyed by contractor; Grid UTM WGS84, Zone 30; Elevation data is calculated from a DTM obtained during the aeromagnetic survey on a 100m line spacing.
Data spacing and distribution	<ul style="list-style-type: none"> Data spacing for reporting of Exploration Results. Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied. Whether sample compositing has been applied. 	<ul style="list-style-type: none"> Drilling along lines 80 to 160m apart. Along each line the distance between holes varies from 20 to 40 m; No Mineral Resource Estimate has been undertaken. No compositing has been utilized. 1m split samples collected on receipt of the 3m sample assays;
Orientation of data in relation to geological structure	<ul style="list-style-type: none"> Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type. If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material. 	<ul style="list-style-type: none"> Previously drilled at 120° azimuth at 60° declination. Following a structural study the azimuth has been changed to 85 and 70° with a declination of 50°; A structural mapping study has been completed to assess the geometry of the mineralisation which will be followed-up with a diamond core programme to collect oriented core for additional structural studies. The geometry and orientation of the high grade mineralisation is still equivocal.
Sample security	<ul style="list-style-type: none"> The measures taken to ensure sample security. 	<ul style="list-style-type: none"> Samples transported from site to laboratory by Tribune Resources staff.
Audits or reviews	<ul style="list-style-type: none"> The results of any audits or reviews of sampling techniques and data. 	<ul style="list-style-type: none"> Sample techniques, logs, and data reviewed on a weekly basis by the project manager.

Section 2 Reporting of Exploration Results

Criteria		Commentary
Mineral tenement and land tenure status	<ul style="list-style-type: none"> Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings. The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area. 	<ul style="list-style-type: none"> A prospecting Licence over Japa gold concession (27.52 km²) was granted to Edelmetall Limited on 13th June, 2001. The Japa licence allows prospecting for gold and base metals. The tenement is currently in good standing.
Exploration done by other parties	<ul style="list-style-type: none"> Acknowledgment and appraisal of exploration by other parties. 	<ul style="list-style-type: none"> Very little previous exploration work has been carried out within the tenement. There has been a small amount of historical mining that is undocumented.
Geology	<ul style="list-style-type: none"> Deposit type, geological setting and style of mineralisation. 	<ul style="list-style-type: none"> Recent exploration drilling has demonstrated that gold mineralization is spatially associated to a complex network of quartz-carbonate veins.
Drill hole Information	<ul style="list-style-type: none"> A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes: <ul style="list-style-type: none"> easting and northing of the drill hole collar elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar dip and azimuth of the hole down hole length and interception depth hole length. If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case. 	<ul style="list-style-type: none"> The results of all drilling completed during the quarter has been included. See Appendices 1 and 2; See Appendices 1 and 2; See Appendices 1 and 2; See Appendices 1 and 2; See Appendices 1 and 2; See Appendices 1 and 2; There has been no exclusion of any drilling results.
Data aggregation methods	<ul style="list-style-type: none"> In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually Material and should be stated. Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail. The assumptions used for any reporting of metal equivalent values should be clearly stated. 	<ul style="list-style-type: none"> All assays reported as received with no compositing or upper cuts applied The 1m samples have been composited into 3m intervals for first pass analysis with samples reporting >0.5g/t Au resubmitted as 1m splits; No metal equivalents have been reported.
Relationship between mineralisation widths and intercept lengths	<ul style="list-style-type: none"> These relationships are particularly important in the reporting of Exploration Results. If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported. If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg 'down hole length, true width not known'). 	<ul style="list-style-type: none"> All intersections are down-hole lengths. The geometry of the mineralisation is still equivocal and oriented core is to be collected as part of a planned diamond drilling programme expected to start on the 18th November. All intersections are reported as down hole.
Diagrams	<ul style="list-style-type: none"> Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views. 	<ul style="list-style-type: none"> A plan of the drilling showing the holes during the period 6 September and 26 October is included as Figure 1 in the above report.
Balanced reporting	<ul style="list-style-type: none"> Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration 	<ul style="list-style-type: none"> All of the assay data received to date have been included as Appendix 2.

Criteria		Commentary
Other substantive exploration data	<p><i>Results.</i></p> <ul style="list-style-type: none"> <i>Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.</i> 	<ul style="list-style-type: none"> No other substantive exploration work has been completed.
Further work	<ul style="list-style-type: none"> <i>The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large-scale step-out drilling).</i> <i>Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.</i> 	<ul style="list-style-type: none"> Further work will include surface channel sampling of the available exposures and diamond drilling to confirm the geometry of the mineralisation; Until the geometry of the mineralisation is known it is not possible to predict the extent of areas of possible extension.